



Contact: Dr Jan Helmke, Dr. Henning Bauch



**Since the onset of the Holocene about 10,000 years ago the earth is characterized by warm, so-called interglacial climate conditions with continental ice sheets being limited to the**

Fig. 2



#### Literature

- Bauch H.A. and Erlenkeuser H. (2003) Interpreting glacial-interglacial changes in ice volume and climate from subarctic deep water foraminiferal  $\delta^{18}\text{O}$ . In: Earth's Climate and Orbital Eccentricity: The Marine Isotope Stage 11 Question, edited by Droxler A.W., Poore R.Z., Burckle L.H.. American Geophysical Union Monograph Series, Washington, D. C., 137, 87-102.
- Bauch H.A., Erlenkeuser, H., Fahl, K., Spielhagen, R.F., Weinelt, M.S., Andrleit, H. and Henrich, R. (1999) Evidence for a steeper Eemian than Holocene sea surface temperature gradient between Arctic and sub-Arctic regions. *Palaeogeography, Palaeoclimatology, Palaeoecology* 145, 95-117.
- Bauch H.A., Erlenkeuser H., Helmke J.P. and J. Thiede (2000) A Paleoclimatic Evaluation of Marine Oxygen Isotope Stage 11 in the high-northern North Atlantic (Nordic Seas). *Global and Planetary Change*, 24 (1), 27-39.
- Helmke J.P. and H.A. Bauch (2002) Glacial-interglacial carbonate preservation records in the Nordic Seas. *Global and Planetary Change*, 33, 15-28.
- Helmke J.P. and H.A. Bauch (2003) Comparison of conditions between the polar and subpolar North Atlantic region over the last five climate cycles. *Paleoceanography*, 18 (2), 1036, doi:10.1029/2002PA000794.
- Helmke J.P., Bauch H.A. and H. Erlenkeuser (2003) Development of glacial and interglacial climate conditions in the Nordic seas between 1.5 and 0.35 Ma. *Quaternary Science Reviews*, 22, 1717-1728.
- Helmke J.P., Bauch H.A., Röhl U. and A. Mazaud (2005) Changes in sedimentation patterns of the Nordic seas region across the Mid-Pleistocene. *Marine Geology*, 215, 107-122.
- Kandiano E.S. and H.A. Bauch (2003) Surface ocean temperatures in the Northeast Atlantic during the last 500,000 years: Evidence from foraminiferal census data. *Terra Nova*, 4, 265-271.
- Kandiano E.S., Bauch H.A. and A. Müller (2004) Sea surface temperature variability in the North Atlantic during the last two glacial-interglacial cycles: Comparison of faunal, oxygen isotopic and Mg/Ca-derived records. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 204 (1-2), 145-164.