Press Release



02/2015

Joint press release of the University of Hamburg and GEOMAR Helmholtz Centre for Ocean Research Kiel

Looking for deep-sea animals – and finding manganese nodules Surprising discovery during the maiden expedition of RV SONNE

14 January 2015 / Kiel. The biology of deep-sea animals and processes of plate tectonics are actually the themes of the first expedition of the new German research vessel SONNE. Quite accidentally marine scientists and oceanographers have now encountered an occurrence of manganese nodules which may dwarf all previously known manganese nodule fields in the Atlantic.

The discovery began with a jolting moment: During this expedition of the research vessel SONNE in the tropical Atlantic, the scientists on board will typically lower a so-called epibenthic sled down to the seabed several thousand meters deep. The approximately three meter long special device collects biological samples and simultaneously captures images. But during an incident earlier this week, the sled seemed to get hooked on the seabed. With a bit of apprehension, the crew and science party waited to see whether the sled would come back on board. Once the sled actually was returned to the working deck of the SONNE, the earlier tension gave way to a big surprise and scientific discovery: The collection nets, generally used to collect near-bottom deep-sea organisms, were filled with manganese nodules. "We did not expect that at this point," says the chief scientist of the expedition, the geologist Prof. Dr. Colin Devey from GEOMAR Helmholtz Centre for Ocean Research Kiel.

The ore nodules brought to the surface by the sled are very regular in shape and range in size from golf balls to bowling balls. With growth rates of between one to five millimeters in a million years, some of the modules could be 10 million years old. Photos taken by the epibenthic sled showed that the nodules in the studied area lie closely packed on the floor of the Atlantic. "Manganese nodules are found in all oceans. But the largest deposits are known to occur in the Pacific. Nodules of this size and density in the Atlantic are not known," says Devey. The biologists on board - whose devices triggered the accidental findings - expressed enthusiasm: "This discovery shows us how little we know of

Therefore, they have been considered a possible source of raw materials since the 1970s. Due to the large water depths and the associated technical complexity and potential environmental damages, no commercial exploitation is currently in sight.

At the same time, manganese nodules are scientifically of great interest since they can be used as climate and environmental archives. Manganese nodules grow like a pearl shell around a nucleus