



Contents lists available at [ScienceDirect](#)

Earth and Planetary Science Letters


[.elsevier.com/locate/epsl](http://www.elsevier.com/locate/epsl)







to more radiogenic Nd at 10 m



Guyana Current has an $\delta_{Nd} = -10.9$ and $[Nd] = 22 \text{ pmol kg}^{-1}$ when it enters the Caribbean. Where Amazon/Orinoco plume water contributes to surface waters in the Caribbean,

- Hamilton, P.J., Onions, R.K., Bridgwater, D., Nutman, A., 1983. Sm–Nd studies of Archean metasediments and metavolcanics from west Greenland and their implications for the Earth's early history. *Earth Planet. Sci. Lett.* 62, 263–272.
- Hathorne, E.C., Haley, B., Stichel, T., Grasse, P., Zieringer, M., Frank, M., 2012. Online preconcentration ICP-MS analysis of rare earth elements in seawater. *Geochem. Geophys. Geosyst.* 13, Q01020. <http://dx.doi.org/10.1029/2011GC003907>.
- Hellweger, F.L., Gordon, A.L., 2002. Tracing Amazon River water into the Caribbean Sea. *J. Mar. Res.* 9-y0 954913 0 Td (.)Tj EMC /P3<</MCID 2 g 0.1-355c -35236 -1.31n46 TmyL,

Sturges, W., 2005. Deep-water exchange between the Atlantic, Caribbean, and Gulf of Mexico. In: Sturges, W., Lugo-Fernandez, A. (Eds.), *Circulation in the Gulf of Mexico: Possibilities and Problems*. American

Geophysical Union, Washington, DC, pp. 171–186. doi:10.1029/2004GL020198.